

Högskolan Dalarna

Ljudproduktion med komplexa system

Recall Sheets för Kl-mixning

Fyll i dessa noggrant när du är klar med din mix. Med hjälp av innehållet i detta häfte samt din sparade *Total Recall*-fil så ska det gå att återskapa din mix in i minsta detalj i efterhand.

Var hellre övertydlig än otydlig.

Projektets namn: Lead Me

Mixningstekniker: Andreas Larsson & Henrik Olsson

Artist: _____


Datum för mix: 7/5-15

Mixerbordet

Ch #	Namn	Insert	Ch #	Namn	Insert
1	Kick In	DBX 166 XL	13	Guitar 1A	
2	Kick Out	DBX 166 XL	14	Guitar 1B	
3	Shure 1 to		15	Guitar DBL	
4	Shure 2 to		16	Acordion	
5	Tom 1		17	keyboard	
6	Tom 2		18	Lead vox	GML 820, 1176 LN
7	Hi-hat		19	Vox 2	
8	OH L		20	Finger Snd	
9	OH R		21	Gang 1	
10	Bass DI	Distressor	22	Gang 2	
11	AktGiti L	DBX S66	23	Gang 3	
12	AktGit R	DBX S66	24	Gang 4	

Övrigt

GML 8200



L input source: Lead Vox

L output destination: 1176

R input source: _____

R output destination: _____

Universal Audio 1176LN

Input source: Lead Vax (GM)

Output destination: Perth WA

1176LN LIMITING AMPLIFIER

UNIVERSAL AUDIO

Input source:

Output destination: _____

Empirical Labs EL8-X Distressor

Distressor

25 23 20 17 14 12 10 9 8 7 6 5 4 3 2 1

GAIN REDUCTION

BYOPASS

O/E THD

O/E LINE

O/E 1 THD

DETECTOR

AUDIO

INPUT

ATTACK

RELEASE

OUTPUT

POWER

EL8X

Input source: Bass DI

Output destination: Pass PT

[illegible]

Input source: _____

Output destination: _____

10

Input source: Akk Git L

Output destination: Alke Gif L

R input source: Atk G12

R output destination: Alt bit R

dbx 166XL

dbx 166XL PROFESSIONAL PRODUCTS

☐ BELOW ABOVE ☐ CHANNEL ONE ☐ BELOW ABOVE ☐ GAIN REDUCTION (dB) 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100

☐ OFF ☐ ON ☐ THRESHOLD ☐ RATIO ☐ ATTACK ☐ RELEASE ☐ COMPRESSOR ☐ LIMITER

☐ EXPANDER/GATE

☐ ABOVE ☐ BELOW ABOVE ☐ CHANNEL TWO ☐ BELOW ABOVE ☐ GAIN REDUCTION (dB) 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100

☐ OFF ☐ ON ☐ THRESHOLD ☐ RATIO ☐ ATTACK ☐ RELEASE ☐ COMPRESSOR ☐ LIMITER

☐ EXPANDER/GATE

166XL COMPRESSOR LIMITER/GATE

L input source: Kick in

L output destination: Kick in

R input source: Kick out

R output destination: Kick out

dbx 166XL PROFESSIONAL PRODUCTS

☐ BELOW ABOVE ☐ CHANNEL ONE ☐ BELOW ABOVE ☐ GAIN REDUCTION (dB) 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100

☐ OFF ☐ ON ☐ THRESHOLD ☐ RATIO ☐ ATTACK ☐ RELEASE ☐ COMPRESSOR ☐ LIMITER

☐ EXPANDER/GATE

☐ ABOVE ☐ BELOW ABOVE ☐ CHANNEL TWO ☐ BELOW ABOVE ☐ GAIN REDUCTION (dB) 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100

☐ OFF ☐ ON ☐ THRESHOLD ☐ RATIO ☐ ATTACK ☐ RELEASE ☐ COMPRESSOR ☐ LIMITER

☐ EXPANDER/GATE

166XL COMPRESSOR LIMITER/GATE

L input source: _____

L output destination: _____

R input source: _____

R output destination: _____

Nedan listade parametrar ska fyllas i. På de tomma raderna fyller du i parametrar och parametervärden som du har ändrat.

[illegible]

R input source: _____

R output destination: